

EGO[™]

POWER BEYOND BELIEF[™]



2023
NEW PRODUCT



**THE LATEST
LAUNCHES FROM
THE CORDLESS
SPECIALISTS**

2023
NEW PRODUCT


RIDERS

- 4. ZT4200E-S
- 6. ZT5200E-L



LINE TRIMMER

- 8. ST1610E-T



HEDGE TRIMMER

- 10. HT2600E



POLE SYSTEM

12. PS1000E



BACKPACK BLOWER

14. LBP8000E



SNOW THROWER

16. SNT2120E-AP



MULTI TOOL

18. PH1420E

18. STA1600



LIFE STYLE

20. LT1000E

21. FN1800E

22. PAD5000E



CHARGERS & BATTERY

23. CH3200E

23. CH7000E

23. BA3360T





POWER+ Z6 ZERO-TURN RIDE-ON MOWER



ZT4200E-S Z6 ZTR RIDE-ON MOWER

The new steering wheel Z6 further expands the EGO Power+ ride-on range. Featuring an innovative steering wheel and cruise control – the ZT4200E-S delivers the equivalent power of a 22-horsepower petrol engine, with none of the emissions.

With its 107cm cutting deck, the Z6 covers up to 10,000m² on a single charge with six 12Ah batteries*. You can tailor the combination of batteries exactly to match the size of your lawn, and to how you prefer to cut your grass.



	ZT4200E-S
NUMBER OF BLADES	2
CUTTING WIDTH	107cm
STEERING	Steering wheel
SPEED	5-13 km/h
DECK LIFTING	Manual
CUTTING HEIGHT	25mm-100mm, 10 settings
FUNCTIONS	Mulch, collect, side discharge
REAR COLLECTION	230L
SEAT SUSPENSION	Hydraulic
WEIGHT	196kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year
AVAILABLE AS A KIT	ZT4201E-S includes: ZT4200E-S ride-on mower CHV1600E 1,600W charger AB4200 blades x 2 AMP4200 mulch plug

*Run time may vary based on the batteries used, charge level of batteries, condition of grass and user's operation technique. The Z6 needs a minimum of 15Ah to function.



INNOVATIVE ZERO-TURN
STEERING SYSTEM

COMFORTABLE SEAT WITH
AIR-RIDE SUSPENSION

CRUISE CONTROL FOR
GREAT MOWING COMFORT

SINGLE CHARGING POINT

3 CUTTING MODES
- SIDE DISCHARGE
- MULCHING
- COLLECTION

TOW HITCH

STORAGE FOR PHONES,
KEYS AND DRINKS

LED LIGHTS

PRESSED STEEL DECK



POWER⁺ Z6 ZERO-TURN RIDE-ON MOWER

EGO
POWER⁺

ARC
LITHIUM
56V

ZT5200E-L Z6 ZTR RIDE-ON MOWER

After the successful launch of our first lap bar ZTR in 2022, we've now added to the range with a 132cm cutting deck. This larger machine has a 3 blade fabricated deck, we also increased the size of the wheels to improve grip.

With all the great features you've come to expect in an EGO ZTR, this mower comes complete with a hydraulic seat, cup holders, phone holder and USB port. Making use of Peak Power™ technology this Z6 will combine the power of up to 6 EGO ARC Lithium™ batteries.



	ZT5200E-L
NUMBER OF BLADES	3
CUTTING WIDTH	132cm
STEERING	Lap bar
SPEED	8-13km/h
DECK LIFTING	Manual
CUTTING HEIGHT	25mm-100mm, 10 settings
FUNCTIONS	Mulch, collect, side discharge
REAR COLLECTION	230L
SEAT SUSPENSION	Hydraulic
WEIGHT	217kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year
AVAILABLE AS A KIT	ZT5201E-L includes: ZT5200E-L ride-on mower CHV1600E 1600W charger AB5200E blades x3



INNOVATIVE ZERO-TURN
STEERING SYSTEM

3 CUTTING MODES
- SIDE DISCHARGE
- MULCHING
- COLLECTION

COMFORTABLE SEAT WITH
AIR-RIDE SUSPENSION

STORAGE FOR PHONES,
KEYS AND DRINKS

TOW HITCH

SINGLE
CHARGING
POINT

LED LIGHTS

FABRICATED STEEL DECK

EGO™
POWER+ LINE TRIMMER




ST1610E-T
EGO POWER+ POWERLOAD™ LINE TRIMMER WITH LINE IQ™

Introducing the EGO Power+ 40cm Powerload Line trimmer, our most advanced trimmer featuring the world's first LINE IQ™ technology. Auto-sensing technology monitors and feeds the length of the line for a continuous 40cm cutting swath delivering non-stop high-performance trimming. No bump needed!

Patented Powerload technology automatically winds your trimmer line. Replacing your string line is as easy as feeding the line into the head and pressing a button! With its telescopic design, quickly adjust the shaft length for ease of use and comfort.



	ST1610E-T
CUTTING WIDTH	40cm
TOTAL LENGTH	184cm
SPEED CONTROL	Digital 2 speed Variable speed
NO LOAD SPEEDS	3500-5500rpm
LINE DIAMETER	2.4mm
LINE FEED	Line-IQ feed
DUAL LINE	Yes
ROTATING DIRECTION	Clockwise
AUXILIARY HANDLE	Quick adjust
HARNES	Single shoulder
WEIGHT WITHOUT BATTERY	3.4kg
MOTOR TYPE	Brushless
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year
AVAILABLE AS A KIT	ST1613E-T includes: ST1610E-T line trimmer BA2242T 4.0Ah battery CH2100E standard charger



LINE IQ ENSURES LINE IS FED OUT AUTOMATICALLY, MEANING THERE IS ALWAYS THE PERFECT LINE DIAMETER

POWERLOAD MAKES LINE LOADING SIMPLE AND FAST

TELESCOPIC SHAFT

CLOCKWISE LINE ROTATION

40CM CUTTING DIAMETER WITH 2.4MM LINE

TOOL FREE HANDLE ADJUSTMENT



POWER+ HEDGE TRIMMER

HT2600E HEDGE TRIMMER

This new HT2600E has a 66cm blade which is double sided and double sharpened which allows for a 30mm cutting capacity. The blade also has a tip protector to prevent any damage if it meets walls, fences or other objects.

The rotating rear handle gives the user greater flexibility and comfort when cutting the sides and tops of hedges. The small front guard provides protection and greater visibility over the work being carried out.



	HT2600E
BLADE LENGTH	66cm
BLADE GAP	30mm
SPEED CONTROL	Single speed
NO LOAD SPEEDS	3,400spm
BLADE TYPE	Double sided cutting blade
CUTTING ACTION	Dual action, double knife edge
BLADE TIP PROTECTOR	Metal
ROTATING HANDLE	Yes
WEIGHT	3.1kg
MOTOR TYPE	Brushless
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year
AVAILABLE AS A KIT	HT2601E includes: HT2600E hedge trimmer BA1400T 2.5Ah battery CH2100E standard charger






POWER+ TELESCOPIC POLE SYSTEM



PS1000E POLE SAW

Introducing EGO's first dedicated pole saw. This saw allows for quick and simple maintenance of trees without the need for a ladder. The high chain speed leads to professional clean, cuts.

The telescopic feature also means it's versatile when wanting to cut lower branches and is easy to store. The carbon fibre shaft allows for a much more accurate cut keeping the pole stiff - other features for aiding accuracy include a feeling line with LED light.



	PS1000E
BAR LENGTH	25cm
CHAIN TYPE	Gauge 0.043", pitch 1/4"
CHAIN SPEED	20m/s
TOTAL EXTENDED LENGTH	296cm (tool) 392cm (with one extension pole) 496cm (with two extension poles)
OIL TANK CAPACITY	80ml
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	2 years
AVAILABLE AS A KIT	PS1003E includes: PS1000E pole saw EP1000 extension pole BA2242T 4Ah battery CH2100E standard charger



HIGH CHAIN SPEED FOR FAST CLEAN CUTS WITH 25CM BAR

FELLING LINE FOR ACCURATE CUTS WITH LED LIGHT

FRONT MOUNTED MOTOR AND OIL SYSTEM

TOOL FREE FILLER

TOOL FREE CHAIN TENSIONING

BRANCH GRABBING HOOK

TOOL FREE HANDLE ADJUSTER

TELESCOPIC FEATURE

EGO™ POWER+ BACKPACK BLOWER



LBP8000E BLOWER



Design will differ from images shown when the LBP8000E is launched for sale. Images are for illustrative purposes only.

Our first leaf blower to feature Peak Power™ technology for longer runtimes and greater blowing force. With two battery ports, this blower can combine the power of any two ARC Lithium™ batteries.

The ergonomically designed handle houses the speed trigger and trigger lock as well as an LCD display screen showing real time operating status and battery fuel gauge. The LBP8000E also has a large motor which means high volumes of air and speed.

	LBP8000E		
	Low	High	Turbo
RUN TIME* WITH 2 x 5.0Ah BATTERY	120 mins	22 mins	15 mins
RUN TIME* WITH 2 x 7.5Ah BATTERY	180 mins	33 mins	23 mins
RUN TIME* WITH 2 x 10.0Ah BATTERY	240 mins	44 mins	30 mins
RUN TIME* WITH 2 x 12.0Ah BATTERY	350 mins	70 mins	48 mins
AIR VOLUME (M ³ /H)	350	650	1,360
AIR SPEED (KM/H)	80	160	260
SPEED SETTING	Variable speed with boost		
FORCE (N)	26N Max		
MOTOR TYPE	Brushless		
DOMESTIC WARRANTY	5 years		
PROFESSIONAL WARRANTY	2 years		

* Run time may vary and depend on the battery used, charge level of battery and user's operation technique.

REAR HANDLES FOR TRANSPORT

WIDE SHOULDER STRAPS
FOR COMFORT AND SUPPORT

PEAK POWER™
TECHNOLOGY

ERGONOMIC HANDLE DESIGN
WITH VARIABLE SPEED
TRIGGER AND TRIGGER LOCK


LCD DISPLAY SHOWING REAL-TIME
MONITORING OPERATION AND
STATUS AND BATTERY FUEL GAUGE

TOOL STAND KEEPING HARNESS
AND BATTERIES CLEAN AND DRY

LARGE MOTOR FOR LARGE
VOLUME OF AIR SPEED

TOOL FREE HANDLE
ADJUSTMENT

Design will differ from images shown when the LBP8000E is launched for sale.
Images are for illustrative purposes only.



EGO™ POWER+ SNOW THROWER



SNT2120E-AP SNOW THROWER



The new EGO Snow Thrower removes snow without the hassle of having to push the machine thanks to its rubberised auger which provides traction and pulls the machine along.

Featuring Peak Power™ Technology, it combines the power of any two ARC Lithium™ batteries for the power to clear heavy, wet snow. The SNT2120E-AP is able to clear a width of 52cm of snow and throw it 14m, the adjustable chute means snow can be thrown at any forward angle. LED lights make it ideal for those early morning clearing jobs along driveways and footpaths.

	SNT2120E-AP
CLEARING WIDTH	52cm
INTAKE HEIGHT	30cm
THROWING DISTANCE	Up to 14m
SELF-PROPEL TYPE	Auger propel
AUGER SIZE	18cm
AUGER TYPE	Metal frame/rubber auger
WEIGHT	27kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year
AVAILABLE AS A KIT	SNT2124E-AP includes: SNT2120E-AP snow thrower BA3360T 6Ah battery x 2 CH5500E rapid charger



PEAK POWER™
TECHNOLOGY MAXIMISING
THE 56V PLATFORM FOR
GREATER POWER AND
RUNTIME

ADJUSTABLE CHUTE ALLOWING
SNOW TO BE THROWN AT ANY
FORWARD ANGLE AND UP TO A
DISTANCE OF 14m

FOLDING ALUMINIUM HANDLES

ADJUSTABLE HANDLE HEIGHT

LED LIGHTS

TREADED REAR WHEELS FOR
TRACTION AND EASY TRANSPORT

RUBBERISED AUGER PROVIDING TRACTION ALLOWING
THE MACHINE TO BE PULLED ALONG WHILE CLEANING



PH1420E AND STA1600
MULTI-TOOL POWER HEAD AND LINE TRIMMER




	PH1420E + STA1600
MOTOR TYPE	Brushless
SPEED CONTROL	Two speed Variable speed
DRIVE SHAFT MATERIAL	7mm solid steel
DRIVE TUBE TYPE	Carbon fibre
COUPLING MECHANISM	Tool-free quick change
WEIGHT	2.8kg (PH1420E) 1.53kg (STA1600)
TOTAL LENGTH	97cm (PH1420E) 185cm (PH1420E + STA1600)
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	2 years

Compatible with all existing EGO multi-tools the new generation power head is more powerful than its predecessor, and has been designed ergonomically for a more comfortable and intuitive user experience.

The trigger has been optimised for greater versatility when working across various multi-tools and tasks, featuring two pre-set speeds with a variable speed trigger. The carbon fibre shaft keeps the tool ridged and is great for durability.

In addition to the new power head, a new attachment is being added to the range, the STA1600 Powerload™ line trimmer. This attachment is only compatible with the new PH1420E power head.



A NEW MORE POWERFUL MOTOR
MAKES THE POWER HEAD MORE
SUITABLE FOR ALL ATTACHMENTS

POWERLOAD MAKES LINE
LOADING SIMPLE AND FAST

40CM CUTTING DIAMETER
WITH 2.4MM LINE

CARBON FIBRE SHAFT KEEPS THE TOOL RIGID
AND OFFERS GREATER DURABILITY

COMPATIBLE WITH ALL EGO MULTI-TOOLS
VIA THE CONNECTOR

VARIABLE SPEED TRIGGER
WITH 2 PRE-SET SPEEDS




POWER+ PORTABLE AREA LIGHT



LT1000E PORTABLE AREA LIGHT

Introducing the EGO Power+ Portable Area Light. Illuminate any environment with 5 different brightness settings adjustable from 600-10,000 lumens. The light can be used as an ambient mood light, effective task light, and so much more. Activate boost mode for 10,000 lumens to illuminate large areas.

With its compact design and integrated handle, easily store this light or take it on the go! Ideal for indoor and outdoor conditions with diffused panels for a softer light and weather resistant construction. This light is equipped with hooks for hanging overhead and a tripod mount. Compatible with all EGO batteries!



	LT1000E					
BRIGHTNESS LEVEL	1	2	3	4	5	BOOST
LUMINOUS FLUX/BRIGHTNESS (4 PANELS COMBINED)	600lm	1,600lm	3,200lm	4,800lm	6,400lm	10,000lm
APPROXIMATE RUN TIME (4 PANELS WITH EGO 56V 5.0 AH BATTERY)	36h	16h	8h	5h	4h	3h
WEIGHT (WITHOUT BATTERY PACK)	4.3kg					


EGO™ POWER+ MISTING FAN



FN1800E MISTING FAN

The new EGO Power+ Misting Fan has air speeds of over 20MPH, 5 different speed settings allow you to adjust air flow to your liking up to 7,000m³/h for ultimate control. With its telescopic handle and durable wheels, take advantage of superior portability. Bring the Misting Fan to any event, ideal for cooling down indoor and outdoor environments. Simply drop the intake filter into a bucket of water and select from 2 misting modes.

	FN1800E
Fan Blade Diameter	45cm
Fan Speed Settings	6 (including "Turbo")
Max. Air Volume	7,000m ³ /h
Max. Air Speed	10.3m/s
WEIGHT (WITHOUT BATTERY PACK)	10.4kg





POWER+ NEXUS ESCAPE POWER INVERTOR



PAD5000E NEXUS ESCAPE POWER INVERTOR

Enjoy power on the move with the new EGO Power+ Nexus Escape Power Inverter. PAD5000E features a 240V AC power outlet, plus USB-A and USB-C ports which allows you to charge mobile phones, laptops, cameras, lights and other electrical devices up to a maximum output of 400 Watts.

Pure Sine Wave inverter makes it suitable to power even the most sensitive electronic devices. Compatible with all EGO portable batteries, this is power when you need it.



Pure sine wave
- Safe for sensitive electronics



Continuous: 400W
Peak: 450W



220-240V AC output



AVAILABLE AS A KIT	PAD5000E
	PAD5001E includes: PAD5000E Nexus power inverter BA1400T 2.5Ah battery



POWER+ BATTERY AND CHARGERS



EGO POWER+ BATTERY AND CHARGERS

LED CHARGING / DIAGNOSTICS
INDICATOR FOR CONSTANT
FEEDBACK ON BATTERY STATUS
AND RECHARGE LEVELS



320W Quick Charger: CH3200E

WALL MOUNTING HOLES
FOR CONVENIENT STORAGE



6Ah Battery: BA3360T

WALL MOUNTING HOLES
FOR CONVENIENT STORAGE

LED CHARGING / DIAGNOSTICS
INDICATOR FOR CONSTANT
DISPLAYS BATTERY STATUS
AND RECHARGE STATUS

UNIQUE DUAL FAN-COOLED
CHARGE SYSTEM - BATTERY
STARTS CHARGING SOONER
AND FINISHES FASTER



700W Rapid+ Charger: CH7000E



CHALLENGE 20/25

www.egopowerplus.com



ZERO 
EMISSION

All rights reserved. Neither this catalogue nor its text, images, illustrations or part thereof, may be reproduced, stored in a retrieval system, photocopied, recorded or transmitted in any form, whether electronic or otherwise, without our consent. To the best of our knowledge, all descriptions, images and illustrations contained in this catalogue are correct at the time of going to print. We cannot, however, be held liable for any inaccuracies of description, image or illustration and reserve the right to change specifications without notification.

©EGO 2022